


External Arc

Worksheet [R. 02..2015]



Contact Name: _____

Company Name: _____

Phone: _____

Fax: _____

Email: _____

Specifications

Quantity: _____

Annual Usage: _____

Product Code: _____

Channel Material: _____
Galvanized, T-304 S/S, Other S/S available on request

Filament Material: _____

Level or Crimped: _____

Filament Diameter: _____

Degrees of Arc: _____

OR (Outside Radius): _____

IR (Inside Radius): _____

Please Circle the Critical Dimension:

OR IR

Application: _____



CHANNEL DIMENSIONS

Section	X		Y	
	in	mm	in	mm
A	0.095	2.413	0.110	2.794
B	0.150	3.810	0.152	3.861
C	0.180	4.572	0.199	5.055
D	0.240	6.096	0.256	6.502
F	0.313	7.950	0.313	7.950
G	0.350	8.890	0.370	9.398
K	0.500	12.700	0.500	12.700

MINIMUM IR for EXTERNAL ARC

Section	Product Code *	Galvanized Channel		Stainless Channel		Stainless Filament	
		in.	mm	in.	mm	in.	mm
A	EAA1	0.375	9.525	0.750	19.050	On Application	
B	EAB1	0.500	12.700	1.000	25.400	1.000	25.400
C	EAC1	0.625	15.875	1.125	28.575	1.375	34.925
D	EAD1	0.750	19.050	1.250	31.750	1.500	38.100
F	EAF1	0.900	22.860	1.400	35.560	1.650	41.910
G	EAG1	1.000	25.400	1.500	38.100	1.750	44.450
K	EAK1	2.000	50.800	2.750	69.850	3.500	88.900

* T-304 S/S Channel change "1" to "2". Other S/S available on request.